



# SL34T

**YALITIMLI SÜRME SİSTEMİ**  
**THERMAL SLIDING SYSTEM**



**KASA GENİŞLİĞİ** : 79mm - 87mm - 132mm  
Frame Width

**KANAT DERİNLİĞİ** : 34mm  
Sash Depth

**SİSTEM ET KALINLIĞI** : 1,3mm  
System Wall Thickness

**ISI BARIYERİ** : Kasa - 20mm, Kanat - 14,8mm  
Insulation Barrier

**CAM KALINLIĞI** : 20mm - 22mm - 24mm  
Glass Thickness
















**KANAT TAŞIMA KAPASİTESİ** : 160kg  
Sash Carrying Capacity

**45° ve 90° Kanat Köşe Birleşim Seçeneği**  
45° and 90° Corner Joint Combinations for Sash








**PROFİL VE AKSESUAR LİSTELERİ**  
*PROFILE & ACCESSORIES LISTS*


PROFİL LİSTESİ - PROFILE LISTS

|                                                                   |                                 |                                                                                     |                                                           |  |                                                                                       |                             |                                                                                     |
|-------------------------------------------------------------------|---------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------|--|---------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------|
| SL34T 01                                                          |                                 |    | SL34T 65                                                  |  | Jx cm <sup>4</sup><br>19,90                                                           | Jy cm <sup>4</sup><br>10,54 |  |
| İKİLİ KASA PROFİLİ<br>FRAME PROFILE                               | AĞIRLIK / Weight<br>1,338 kg/mt |                                                                                     | ORTA KAYIT<br>PROFİLİ 74 mm<br>TRANSOM-MULLION<br>PROFILE |  | AĞIRLIK / Weight<br>1,245 kg/mt                                                       |                             |                                                                                     |
| SL34T 02                                                          |                                 |    | SL34T 10                                                  |  |    |                             |                                                                                     |
| İKİLİ KASA PROFİLİ<br>FRAME PROFILE                               | AĞIRLIK / Weight<br>1,527 kg/mt |                                                                                     | KANAT PROFİLİ<br>SASH PROFILE                             |  |                                                                                       |                             |                                                                                     |
| SL34T 03                                                          |                                 |    | SL34T 14                                                  |  |    |                             |                                                                                     |
| ÜÇLÜ KASA PROFİLİ<br>FRAME PROFILE                                | AĞIRLIK / Weight<br>2,306 kg/mt |                                                                                     | KANAT PROFİLİ<br>SASH PROFILE                             |  |                                                                                       |                             |                                                                                     |
| SL34T 04                                                          |                                 |    | SL34T 15                                                  |  |    |                             |                                                                                     |
| İKİLİ KASA PROFİLİ<br>SİNEKLİK RAYLI<br>FRAME PROFILE             | AĞIRLIK / Weight<br>2,011 kg/mt |                                                                                     | KANAT ETEK PROFİLİ<br>SASH KICK PLATE PROFILE             |  |                                                                                       |                             |                                                                                     |
| SL34T 05                                                          |                                 |  | SL34T 24                                                  |  |  |                             |                                                                                     |
| ÜÇLÜ KASA PROFİLİ<br>SİNEKLİK RAYLI<br>FRAME PROFILE              | AĞIRLIK / Weight<br>2,790 kg/mt |                                                                                     | DAR KANAT PROFİLİ<br>90°X45°<br>NARROW SASH PROFILE       |  |                                                                                       |                             |                                                                                     |
| SL34T 102                                                         |                                 |  | 13-09986                                                  |  |  |                             |                                                                                     |
| İKİLİ KASA PROFİLİ<br>PERVAZLI<br>FRAME PROFILE                   | AĞIRLIK / Weight<br>1,666 kg/mt |                                                                                     | SİNEKLİK<br>KANAT PROFİLİ<br>FLYSCREEN SASH PROFILE       |  |                                                                                       |                             |                                                                                     |
| SL34T 104                                                         |                                 |  | 15-304216-09                                              |  |  |                             |                                                                                     |
| İKİLİ KASA PROFİLİ<br>PERVAZLI<br>SİNEKLİK RAYLI<br>FRAME PROFILE | AĞIRLIK / Weight<br>2,150 kg/mt |                                                                                     | SİNEKLİK KANAT<br>PROFİLİ<br>FLYSCREEN SASH<br>PROFILE    |  |                                                                                       |                             |                                                                                     |
| SL34T 103                                                         |                                 |  | 15-306317-11                                              |  |  |                             |                                                                                     |
| ÜÇLÜ KASA PROFİLİ<br>PERVAZLI<br>FRAME PROFILE                    | AĞIRLIK / Weight<br>2,445 kg/mt |                                                                                     | SİNEKLİK KANAT<br>PROFİLİ<br>FLYSCREEN SASH<br>PROFILE    |  |                                                                                       |                             |                                                                                     |
| SL34T 105                                                         |                                 |  | SL34T-52                                                  |  |  |                             |                                                                                     |
| ÜÇLÜ KASA PROFİLİ<br>PERVAZLI<br>SİNEKLİK RAYLI<br>FRAME PROFILE  | AĞIRLIK / Weight<br>2,930 kg/mt |                                                                                     | DAR SİNEKLİK<br>KANAT PROFİLİ<br>FLYSCREEN SASH PROFILE   |  |                                                                                       |                             |                                                                                     |
| SL34T 64                                                          |                                 |  | SL34T 43                                                  |  |  |                             |                                                                                     |
| KASA PROFİLİ<br>FRAME PROFILE                                     | AĞIRLIK / Weight<br>1,350 kg/mt |                                                                                     | ADAPTOR PROFİLİ<br>ADAPTER PROFILE                        |  |                                                                                       |                             |                                                                                     |
|                                                                   |                                 |                                                                                     |                                                           |  | AĞIRLIK / Weight<br>0,750 kg/mt                                                       |                             |                                                                                     |





PROFİL LİSTESİ - PROFILE LISTS

|                                                                             |                                 |                                                                                     |                                                                  |                                 |                                                                                                                                                                     |
|-----------------------------------------------------------------------------|---------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SL34T 21                                                                    |                                 |    | SL38T 61                                                         |                                 |                                                                                  |
| KENET PROFİLİ<br>CENTRAL LOCKING PROFILE                                    | AĞIRLIK / Weight<br>0,374 kg/mt |                                                                                     | SİNEKLİK RAY PROFİLİ<br>FLYSCREEN RAIL PROFILE                   | AĞIRLIK / Weight<br>0,185 kg/mt |                                                                                                                                                                     |
| SL34T 18                                                                    |                                 |    | DR-001                                                           |                                 |                                                                                  |
| DAR KENET PROFİLİ<br>NARROW CENTRAL LOCKING PROFILE                         | AĞIRLIK / Weight<br>0,567 kg/mt |                                                                                     | DRENAJ KANAL PROFİLİ<br>WATER DRAINAGE PROFILE                   | AĞIRLIK / Weight<br>1,998 kg/mt |                                                                                                                                                                     |
| SL34T 22                                                                    |                                 |    | DR-002                                                           |                                 | <br>MEKANİK İŞLEMLE DELME YAPILMIŞTIR<br>DRILLING WAS DONE BY MECHANICAL PROCESS |
| DAR KENET PROFİLİ<br>NARROW CENTRAL LOCKING PROFILE                         | AĞIRLIK / Weight<br>0,358 kg/mt |                                                                                     | DRENAJ KANAL UZATMA PROFİLİ<br>WATER DRAINAGE ADDITIONAL PROFILE | AĞIRLIK / Weight<br>0,918 kg/mt |                                                                                                                                                                     |
| SL34T 45                                                                    |                                 |    | DR-003 (RENK MAT BEYAZ ELOKSAL)                                  |                                 | <br>MEKANİK İŞLEMLE DELME YAPILMIŞTIR<br>DRILLING WAS DONE BY MECHANICAL PROCESS |
| DAR KENET PROFİLİ<br>NARROW CENTRAL LOCKING PROFILE 90° X45°                | AĞIRLIK / Weight<br>0,269 kg/mt |                                                                                     | DRENAJ KANAL KAPAK PROFİLİ<br>WATER DRAINAGE COVER PROFILE       | AĞIRLIK / Weight<br>0,724 kg/mt |                                                                                                                                                                     |
| SL34T 19                                                                    |                                 |  | SL32 43                                                          |                                 |                                                                                |
| TAKVİYELİ<br>DAR KENET PROFİLİ<br>REINFORCED NARROW CENTRAL LOCKING PROFILE | AĞIRLIK / Weight<br>0,944 kg/mt |                                                                                     | ADAPTÖR PROFİLİ<br>ADAPTER PROFILE                               | AĞIRLIK / Weight<br>0,235 kg/mt |                                                                                                                                                                     |
| SL34T 23                                                                    |                                 |  | 04-020020-12                                                     |                                 | <br>SC:2/1                                                                     |
| TAKVİYELİ<br>DAR KENET PROFİLİ<br>REINFORCED NARROW CENTRAL LOCKING PROFILE | AĞIRLIK / Weight<br>1,011 kg/mt |                                                                                     | T PROFİLİ<br>T PROFILE                                           | AĞIRLIK / Weight<br>0,127 kg/mt |                                                                                                                                                                     |
| SL34T 44                                                                    |                                 |  | 10-010106-00                                                     |                                 |                                                                                |
| İSPANYOLET KANAL PROFİLİ<br>ADAPTER PROFILE                                 | AĞIRLIK / Weight<br>0,323 kg/mt |                                                                                     | KÖŞE TAKOZU-10,6 mm<br>CORNER JOINT                              | AĞIRLIK / Weight<br>2,653 kg/mt |                                                                                                                                                                     |
| SL34T 35                                                                    |                                 |  | 10-010225-00                                                     |                                 |                                                                                |
| KANAT SABİTLEME PROFİLİ<br>SASH FIXING PROFILE                              | AĞIRLIK / Weight<br>0,399 kg/mt |                                                                                     | KÖŞE TAKOZU-22,5 mm<br>CORNER JOINT                              | AĞIRLIK / Weight<br>3,566 kg/mt |                                                                                                                                                                     |
| FC12-195-20                                                                 |                                 |  | 11-026                                                           |                                 |                                                                                |
| TİJ PROFİLİ<br>ROD PROFILE                                                  | AĞIRLIK / Weight<br>0,120 kg/mt |                                                                                     | CAM ÇITASI-26 mm<br>GLAZING BEAD PROFILE                         | AĞIRLIK / Weight<br>0,296 kg/mt |                                                                                                                                                                     |
| LS70 61                                                                     |                                 |  | 11-028                                                           |                                 |                                                                                |
| DAMLALIK PROFİLİ<br>COVER PROFILE                                           | AĞIRLIK / Weight<br>0,235 kg/mt |                                                                                     | CAM ÇITASI-28 mm<br>GLAZING BEAD PROFILE                         | AĞIRLIK / Weight<br>0,302 kg/mt |                                                                                                                                                                     |












PROFİL LİSTESİ - PROFILE LISTS

|                                         |                  |                                                                                   |  |  |
|-----------------------------------------|------------------|-----------------------------------------------------------------------------------|--|--|
| 12-52                                   |                  |  |  |  |
| PERVAZ PROFİLİ<br><i>BORDER PROFILE</i> | AĞIRLIK / Weight |                                                                                   |  |  |
|                                         | 0,279 kg/mt      |                                                                                   |  |  |
| 12-53                                   |                  |  |  |  |
| PERVAZ PROFİLİ<br><i>BORDER PROFILE</i> | AĞIRLIK / Weight |                                                                                   |  |  |
|                                         | 0,177 kg/mt      |                                                                                   |  |  |
| 12-54                                   |                  |  |  |  |
| PERVAZ PROFİLİ<br><i>BORDER PROFILE</i> | AĞIRLIK / Weight |                                                                                   |  |  |
|                                         | 0,326 kg/mt      |                                                                                   |  |  |
| 12-57                                   |                  |  |  |  |
| PERVAZ PROFİLİ<br><i>BORDER PROFILE</i> | AĞIRLIK / Weight |                                                                                   |  |  |
|                                         | 0,358 kg/mt      |                                                                                   |  |  |
|                                         |                  |                                                                                   |  |  |
|                                         |                  |                                                                                   |  |  |
|                                         |                  |                                                                                   |  |  |
|                                         |                  |                                                                                   |  |  |
|                                         |                  |                                                                                   |  |  |
|                                         |                  |                                                                                   |  |  |
|                                         |                  |                                                                                   |  |  |
|                                         |                  |                                                                                   |  |  |















AKSESUAR LİSTESİ - ACCESSORIES LIST

|                                                        |                                        |                                                                                     |                                                                                     |                                      |                                                                                       |
|--------------------------------------------------------|----------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------|---------------------------------------------------------------------------------------|
| EP1-01                                                 |                                        |    | SL34T-PLU                                                                           |                                      |    |
| DIŞ CAM FİTİLİ - 3,5 mm<br><i>OUTER GLAZING GASKET</i> | KOLİ MİKTARI/Package<br>240 mt / 15 kg |                                                                                     | KASA YALITIM PVC<br><i>FRAME ISOLATION GASKET</i>                                   | KOLİ MİKTARI/Package<br>6 mt / Adet  |                                                                                       |
| KC 02                                                  |                                        |    | SL34T-PLZ 04                                                                        |                                      |    |
| CAM FİTİLİ - 2 mm<br><i>GLAZING GASKET</i>             | KOLİ MİKTARI/Package<br>100 mt         |                                                                                     | ORTA KENET YALITIM<br>FİTİLİ - PVC<br><i>CENTRAL LOCKING<br/>SEALING GASKET-PVC</i> | KOLİ MİKTARI/Package<br>6 mt / Adet  |                                                                                       |
| EP2-01                                                 |                                        |    | SL34T-PLZ 06                                                                        |                                      |    |
| İÇ CAM FİTİLİ - 3 mm<br><i>INNER GLAZING GASKET</i>    | KOLİ MİKTARI/Package<br>440 mt / 15 kg |                                                                                     | ORTA KENET YALITIM<br>FİTİLİ - PVC<br><i>CENTRAL LOCKING<br/>SEALING GASKET-PVC</i> | KOLİ MİKTARI/Package<br>6 mt / Adet  |                                                                                       |
| EP2-02                                                 |                                        |    | SL34T-PLZ 07                                                                        |                                      |    |
| İÇ CAM FİTİLİ - 4 mm<br><i>INNER GLAZING GASKET</i>    | KOLİ MİKTARI/Package<br>300 mt / 15 kg |                                                                                     | ORTA KENET YALITIM<br>FİTİLİ - PVC<br><i>CENTRAL LOCKING<br/>SEALING GASKET-PVC</i> | KOLİ MİKTARI/Package<br>6 mt / Adet  |                                                                                       |
| EP2-03                                                 |                                        |  | SL34T-PLZ 08                                                                        |                                      |  |
| İÇ CAM FİTİLİ - 5 mm<br><i>INNER GLAZING GASKET</i>    | KOLİ MİKTARI/Package<br>250 mt / 15 kg |                                                                                     | ORTA KENET YALITIM<br>FİTİLİ - PVC<br><i>CENTRAL LOCKING<br/>SEALING GASKET-PVC</i> | KOLİ MİKTARI/Package<br>6 mt / Adet  |                                                                                       |
| EP38-02                                                |                                        |  | SL34T-KP01                                                                          |                                      |  |
| KASA KANAL FİTİLİ<br><i>FRAME GASKET</i>               | KOLİ MİKTARI/Package<br>300 mt / 15 kg |                                                                                     | KENET KAPAĞI-ALT/ÜST<br><i>INTERLOCK PROFILE CAP<br/>TOP / BOTTOM</i>               | KOLİ MİKTARI/Package<br>Takım / Set  |                                                                                       |
| ASI-5025                                               |                                        |  | SL34T-KP 02                                                                         |                                      |  |
| SİNEKLİK FİTİLİ<br><i>FLYSCREEN GASKET</i>             | KOLİ MİKTARI/Package<br>100 mt         |                                                                                     | SL34T 23 İÇİN KAPAK<br><i>PLASTIC END COVER<br/>FOR SL34T 23</i>                    | KOLİ MİKTARI/Package<br>Takım / Set  |                                                                                       |
| KF 67-550                                              |                                        |  | 34T-KP 03                                                                           |                                      |  |
| FİRÇA FİTİL-5,5mm<br><i>BRUSH GASKET</i>               | KOLİ MİKTARI/Package<br>1400 mt / koli |                                                                                     | SL34T 43 İÇİN KAPAK<br><i>PLASTIC END COVER<br/>FOR SL34T 43</i>                    | KOLİ MİKTARI/Package<br>Adet / Piece |                                                                                       |
| KF 67-650                                              |                                        |  | SL34T-KP 04                                                                         |                                      |  |
| FİRÇA FİTİL-6,5mm<br><i>BRUSH GASKET</i>               | KOLİ MİKTARI/Package<br>1300 mt / koli |                                                                                     | SL34T 18 İÇİN KAPAK<br><i>PLASTIC END COVER<br/>FOR SL34T 18</i>                    | KOLİ MİKTARI/Package<br>Takım / Set  |                                                                                       |
| KF 67-700                                              |                                        |  | SL34T-PL90                                                                          |                                      |  |
| FİRÇA FİTİL-7mm<br><i>BRUSH GASKET</i>                 | KOLİ MİKTARI/Package<br>1100 mt / koli |                                                                                     | 90° KANAT BAĞLANTI<br>PLASTİĞİ Kanat<br><i>90° SASH CONNECT PVC</i>                 | KOLİ MİKTARI/Package<br>Adet / Piece |                                                                                       |

AKSESUAR LİSTESİ - ACCESSORIES LIST


|                                                                           |                                      |                                                                                     |                                                                                                          |                                         |                                                                                       |
|---------------------------------------------------------------------------|--------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------------------------------------------------------------------------------|
| <b>SL34T-PL91</b>                                                         |                                      |    | <b>ASI-WH 006</b>                                                                                        |                                         |    |
| 90° KANAT BAĞLANTI<br>PLASTİĞİ DAR KENET<br>90° SASH CONNECT PVC          | KOLİ MİKTARI/Package<br>Adet / Piece |                                                                                     | GÖMME İSPANYOLET<br>KİLİTLEME KOL<br>EMBEDED HANDLE FOR<br>MULTI POINT LOCK                              | KOLİ MİKTARI/Package<br>Adet / Piece    |                                                                                       |
| <b>FLY-KP01</b>                                                           |                                      |    | <b>ASI-SH 007K</b>                                                                                       |                                         |    |
| DAR SİNEKLİK KANAT<br>KAPAĞI-ALT/ÜST<br>FLY SCREEN CAP<br>TOP / BOTTOM    | KOLİ MİKTARI/Package<br>Adet / Piece |                                                                                     | HAVUZ KOL DİL-KARŞILIK<br>(ASI-SH 007 ve 007A için)<br>EMBEDED HANDLE STRIKE<br>HOOK FOR ASI-SH 007/007A | KOLİ MİKTARI/Package<br>Takım / Set     |                                                                                       |
| <b>ASI-34STP 06</b>                                                       |                                      |    | <b>ASI-ISP K02</b>                                                                                       |                                         |    |
| KANAT Dengeleme ve<br>STOPER AKSESUARI<br>SASH STOPPER &<br>STABILIZATION | KOLİ MİKTARI/Package<br>Adet / Piece |                                                                                     | İSPANYOLET KİLİT<br>KARŞILIK<br>MULTI POINT LOCK STRIKER                                                 | KOLİ MİKTARI/Package<br>Adet / Piece    |                                                                                       |
| <b>SL34T-STP01</b>                                                        |                                      |    | <b>ASI-34 KIT</b>                                                                                        |                                         |    |
| KANAT Dengeleme<br>AKSESUARI<br>SASH STABILIZATION                        | KOLİ MİKTARI/Package<br>Adet / Piece |                                                                                     | KİLİTLEME-KARŞILIK<br>LOCK STRIKER                                                                       | KOLİ MİKTARI/Package<br>2 takım / 2 set |                                                                                       |
| <b>SL34T-SFP 01</b>                                                       |                                      |  | <b>ASI-TP 002</b>                                                                                        |                                         |  |
| ÜST-ALT<br>HAVA KESİCİ - EPDM<br>BOTTO-TOP<br>WEATHER PROTECTOR           | KOLİ MİKTARI/Package<br>Adet / Piece |                                                                                     | TİJ PİMİ - Ø7mm<br>ROD PROFILE LOCKING                                                                   | KOLİ MİKTARI/Package<br>takım / set     |                                                                                       |
| <b>ASI-SH 007</b>                                                         |                                      |  | <b>ASI-GB01</b>                                                                                          |                                         |  |
| HAVUZ KOL<br>EMBEDED HANDLE                                               | KOLİ MİKTARI/Package<br>Adet / Piece |                                                                                     | TEK YÖNLÜ KİLİTLEME<br>GEAR BOX-ONE WAY                                                                  | KOLİ MİKTARI/Package<br>Adet / Piece    |                                                                                       |
| <b>ASI-SH 007A</b>                                                        |                                      |  | <b>12-41P</b>                                                                                            |                                         |  |
| KİLİTLİ HAVUZ KOL<br>EMBEDED HANDLE<br>WITH LOCK                          | KOLİ MİKTARI/Package<br>Adet / Piece |                                                                                     | POLYAMİD TİJ PROFİLİ<br>POLYAMİDE CONNECTING<br>ROD PROFILE - 19mm                                       | KOLİ MİKTARI/Package<br>6mt / Adet      |                                                                                       |
| <b>ASI-SH 007B</b>                                                        |                                      |  | <b>ASI-ISP15.0</b>                                                                                       |                                         |  |
| ÇEKME HAVUZ KOL<br>PULL EMBEDDED HANDLE                                   | KOLİ MİKTARI/Package<br>Adet / Piece |                                                                                     | İSPANYOLET KİLİTLEME<br>(400mm)<br>MULTI POINT LOCK                                                      | KOLİ MİKTARI/Package<br>Adet / Piece    |                                                                                       |
| <b>ASI-SH 007C</b>                                                        |                                      |  | <b>ASI-ISP15.1</b>                                                                                       |                                         |  |
| TİJLİ HAVUZ KOL<br>PULL EMBEDDED HANDLE FOR<br>MULTI POINT LOCK           | KOLİ MİKTARI/Package<br>Adet / Piece |                                                                                     | İSPANYOLET KİLİTLEME<br>(600mm)<br>MULTI POINT LOCK                                                      | KOLİ MİKTARI/Package<br>Adet / Piece    |                                                                                       |
| <b>ASI-WH 002</b>                                                         |                                      |  | <b>ASI-ISP15.2</b>                                                                                       |                                         |  |
| İSPANYOLET KİLİTLEME<br>KOL<br>MULTI POINT LOCK HANDLE                    | KOLİ MİKTARI/Package<br>Adet / Piece |                                                                                     | İSPANYOLET KİLİTLEME<br>(1000mm)<br>MULTI POINT LOCK                                                     | KOLİ MİKTARI/Package<br>Adet / Piece    |                                                                                       |

AKSESUAR LİSTESİ - ACCESSORIES LIST


|                                                                         |                                           |                                                                                     |                                                                                         |                                           |                                                                                       |
|-------------------------------------------------------------------------|-------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-------------------------------------------|---------------------------------------------------------------------------------------|
| <b>ASI-ISP15.3</b>                                                      |                                           |    | <b>ASI-SB 34</b>                                                                        |                                           |    |
| İSPANYOLET KİLİTLEME<br>(1800mm)<br>MULTI POINT LOCK                    | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                     | KÖŞE GÖNYESİ<br>CORNER ALIGNMENT                                                        | KOLİ MİKTARI/Package<br>1000 Adet / Piece |                                                                                       |
| <b>ASI-PB 1119</b>                                                      |                                           |    | <b>ASI-SR 02R</b>                                                                       |                                           |    |
| PİMLİ KÖŞE BAĞLANTI<br>BUTTON CORNER JOINT                              | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                     | AYARLI ÇİFTLİ RULMAN<br>(U TİPİ RAY İÇİN)<br>DOUBLE SLIDING ROLLER<br>FOR RAIL TYPE - U | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                       |
| <b>ASI-PB 1124</b>                                                      |                                           |    | <b>ASI-SR 06</b>                                                                        |                                           |    |
| PİMLİ KÖŞE BAĞLANTI<br>BUTTON CORNER JOINT                              | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                     | AYARLI ÇİFTLİ RULMAN<br>(U TİPİ RAY İÇİN)<br>DOUBLE SLIDING ROLLER<br>FOR RAIL TYPE - U | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                       |
| <b>ASI-PB 2632</b>                                                      |                                           |   | <b>ASI-BZ 5060</b>                                                                      |                                           |    |
| PİMLİ KÖŞE BAĞLANTI<br>BUTTON CORNER JOINT                              | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                     | SİNEKLİK KANAT<br>RULMANI<br>ROLLER FOR<br>FLYSCREEN SASH                               | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                       |
| <b>ASI-KT 2319</b>                                                      |                                           |  | <b>ASI-INR 01</b>                                                                       |                                           |  |
| PRES KÖŞE BAĞLANTI<br>PRESS CORNER JOINT                                | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                     | ÇELİK RAY<br>STEEL RAIL                                                                 | KOLİ MİKTARI/Package<br>6 mt / Adet       |                                                                                       |
| <b>ASI-CC 1220</b>                                                      |                                           |  | <b>ASI-SL1212</b>                                                                       |                                           |  |
| ÖZEL KÖŞE BAĞLANTI<br>CORNER JOINT                                      | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                     | KASA MONTAJ PARÇASI<br>FRAME ASSEMBLY PART                                              | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                       |
| <b>ASI-BZ 5007</b>                                                      |                                           |  | <b>SL34T-DB100</b>                                                                      |                                           |  |
| SİNEKLİK PROFİLİ<br>KÖŞE BAĞLANTI<br>CORNER JOINT FOR<br>FLYSCREEN SASH | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                     | KANAT SABİTLEME<br>PARÇASI<br>SASH FIXING                                               | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                       |
| <b>ASI-SB 19.1</b>                                                      |                                           |  | <b>ASI-WDC 01</b>                                                                       |                                           |  |
| KÖŞE GÖNYESİ<br>CORNER ALIGNMENT                                        | KOLİ MİKTARI/Package<br>1000 Adet / Piece |                                                                                     | YAĞMUR TAHLİYE<br>KAPAĞI<br>WATER REJECT COVER                                          | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                       |
| <b>ASI-SB 19</b>                                                        |                                           |  | <b>DR-KAP 01</b>                                                                        |                                           |  |
| KÖŞE GÖNYESİ<br>CORNER ALIGNMENT                                        | KOLİ MİKTARI/Package<br>1000 Adet / Piece |                                                                                     | DRENAJ KANAL KAPAK<br>WATER DRAINAGE COVER                                              | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                       |
| <b>ASI-FUJI 2000</b>                                                    |                                           |  | <b>DR-KAP 02</b>                                                                        |                                           |  |
| AYARLI KÖŞE GÖNYESİ<br>CORNER ALIGNMENT                                 | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                     | DRENAJ KANAL KAPAK<br>WATER DRAINAGE COVER                                              | KOLİ MİKTARI/Package<br>Adet / Piece      |                                                                                       |

[illegible]

**PROFİL DETAYLARI**  
*PROFILE DETAILS*




**SL34T 01**




AĞIRLIK / Weight

1,338 kg/mt




**SL34T 02**




AĞIRLIK / Weight

1,527 kg/mt




**SL34T 04**




AĞIRLIK / Weight

2,011 kg/mt




**SL34T 03**




AĞIRLIK / Weight

2,306 kg/mt




**SL34T 05**




AĞIRLIK / Weight

2,790 kg/mt




**SL34T 102**




AĞIRLIK / Weight

1,666 kg/mt




**SL34T 104**




AĞIRLIK / Weight

2,150 kg/mt




**SL34T 103**

|                                                                                                                                                                                                                                                     |                                            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| <p>(A)</p>  <p>ASI-PB 1124 ~ ASI-KT 1124</p> <p>(B)</p>  <p>ASI-SB 19.1</p> | <p>AĞIRLIK / Weight</p> <p>2,445 kg/mt</p> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|




**SL34T 105**




|                                                                                                                                                                                                                                                       |                                            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| <p>(A)</p>  <p>ASI-PB 1124 ~ ASI-KT 1124</p> <p>(B)</p>  <p>ASI-SB 19.1</p> | <p>AĞIRLIK / Weight</p> <p>2,930 kg/mt</p> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|



| SL34T 64                                                                                                                                                                                                                                                 |  | Jx cm <sup>4</sup> | Jy cm <sup>4</sup> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------|--------------------|
|                                                                                                                                                                                                                                                          |  | 29,59              | 12,38              |
|    |  | AĞIRLIK / Weight   |                    |
| <small>ASI-KT 2319-ASI-PB 2632</small> <small>ASI-FUJI 2000</small> <small>ASI-SB 19</small>                                                                                                                                                             |  | 1,349 kg/mt        |                    |

| SL34T 65                                                                                                       |  | Jx cm <sup>4</sup> | Jy cm <sup>4</sup> |
|----------------------------------------------------------------------------------------------------------------|--|--------------------|--------------------|
|                                                                                                                |  | 19,90              | 10,54              |
|  <small>ASI-P 100.1</small> |  | AĞIRLIK / Weight   |                    |
|                                                                                                                |  | 1,243 kg/mt        |                    |





### SL34T 10


|             |             |                  |
|-------------|-------------|------------------|
| (A)         | (B)         | AĞIRLIK / Weight |
|             |             | 1,432 kg/mt      |
| ASI-CC 1220 | ASI-SB 19.1 |                  |

### SL34T 14

|             |                  |
|-------------|------------------|
| (B)         | AĞIRLIK / Weight |
|             | 1,308 kg/mt      |
| ASI-SB 19.1 |                  |


### SL34T 15

|            |            |                  |
|------------|------------|------------------|
| (A)        | (B)        | AĞIRLIK / Weight |
|            |            | 1,350 kg/mt      |
| SL34T-PL90 | SL34T-PL91 |                  |




**SL34T 21**

|                                                                                                  |                  |
|--------------------------------------------------------------------------------------------------|------------------|
| <br>SL34T-KP 01 | AĞIRLIK / Weight |
|                                                                                                  | 0,374 kg/mt      |




**SL34T 22**

|                                                                                                   |                  |
|---------------------------------------------------------------------------------------------------|------------------|
| <br>SL34T-KP 01 | AĞIRLIK / Weight |
|                                                                                                   | 0,358 kg/mt      |




**SL34T 24**

|                                                                                                    |                  |
|----------------------------------------------------------------------------------------------------|------------------|
| <br>ASI-CC 1220 | AĞIRLIK / Weight |
|                                                                                                    | 0,998 kg/mt      |




**SL34T 43**

|                                                                                                     |                  |
|-----------------------------------------------------------------------------------------------------|------------------|
| <br>SL34T-KP 03 | AĞIRLIK / Weight |
|                                                                                                     | 0,750 kg/mt      |




**SL34T 45**

|                                                                                                    |                  |
|----------------------------------------------------------------------------------------------------|------------------|
| <br>SL34T-KP 01 | AĞIRLIK / Weight |
|                                                                                                    | 0,269 kg/mt      |



**LS70 61**

0,235 kg/mt




**SL34T 18**




SL34T-KP 01

AĞIRLIK / Weight

0,567 kg/mt



**SL34T 19**




SL34T-KP 01




SL34T-KP 04

AĞIRLIK / Weight

0,944 kg/mt



**SL34T 23**



SL34T-KP 01





SL34T-KP 02


AĞIRLIK / Weight

1,011 kg/mt

**DRENAJ SİSTEMİ**  
*DRAINAGE SYSTEM*



**DR-001**




AĞIRLIK / Weight

1,998 kg/mt


DR-KAP 03 ~ DR-KAP 04

**DR-002**




MEKANİK İŞLEMLE DELME YAPILMIŞTIR  
DRILLING WAS DONE BY MECHANICAL PROCESS

**DR-003**




**DR-002**




AĞIRLIK / Weight

0,918 kg/mt

DR-KAP 01 ~ DR-KAP 02




**DR-003**



AĞIRLIK / Weight


0,724 kg/mt

DR-KAP 03 ~ DR-KAP 04




13-09986

|                                                                                     |                                                                                     |                  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------|
|  |  | AĞIRLIK / Weight |
| ASI-PB 1119                                                                         | ASI-SR 02R                                                                          | 0,740 kg/mt      |




15-304216-09

|                                                                                     |                                                                                     |                  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------|
|  |  | AĞIRLIK / Weight |
| ASI-BZ 5007                                                                         | ASI-BZ 5060                                                                         | 0,352 kg/mt      |




15-306317-11

|                                                                                       |                                                                                       |                  |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------------------|
|  |  | AĞIRLIK / Weight |
| ASI-BZ 5007                                                                           | ASI-BZ 5060                                                                           | 0,561 kg/mt      |




SL34T-52

|                                                                                     |                                                                                     |                  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------|
|  |  | AĞIRLIK / Weight |
| ASI-PB 1119                                                                         | FLY-KP01                                                                            | 0,469 kg/mt      |




SL32 43

0,235 kg/mt




SL38T 61

0,185 kg/mt




**FC12-195-20**

0,120 kg/mt




**SL34T 44**

0,323 kg/mt




**04-018080-12**

0,054 kg/mt




**11-026**

0,296 kg/mt




**11-028**

0,302 kg/mt




**12-52**

0,279 kg/mt




**12-53**

0,177 kg/mt




**SL34T 35**

0,399 kg/mt



**12-54**

0,326 kg/mt



**12-57**



0,358 kg/mt

**SİSTEM DETAYLARI**  
*SYSTEM DETAILS*





**90° KÖŞE BAĞLANTI DETAYLARI**


**CORNER CONNECTION**

SL34T 01




**45° KÖŞE BAĞLANTI DETAYLARI**  
CORNER CONNECTION











9







10







**45°X90° KÖŞE BAĞLANTI DETAYLARI**  
*CORNER CONNECTION*





15




16





17





18














**DRENAJ SİSTEMİ**  
*DRAINAGE SYSTEM*





**DRENAJ SİSTEMİ**  
*DRAINAGE SYSTEM*








SL34T 10



Toplam IX:29,93



SL34T 18